Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	21	"1060895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/28 11:35
S1	4209	((347/85) or (347/86)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 11:58
52	47	("4384288" "4926187" "5444223" "5574470" "5604485" "5838253" "5874902" "5914862" "5964656" "5986569" "5995006" "6043746" "6078259" "6097301" "6100840" "6104281" "6206282" "6218942" "6232870" "6265977" "6305548" "6346881" "6644771" "6938976"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 12:08
S3	14	(tag or RFID or identification or identifying) same (manufacturing near2 date) same ((expir\$4 or expiration) near3 date) and (read\$3 with data) same (control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 10:48
S4	2	(tag or RFID or identification or identifying) same (manufacturing near2 date) same ((expir\$4 or expiration) near3 date) and (read\$3 with data) same (control\$4) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 12:44
S5	0	S2 and expiration and manufacturing and date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 10:55
S6	5	S2 and manufacturing and date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:36

510	5	(disabl\$3 or stop\$4 or terminat\$3) with power same (expiration or expir\$3) near2 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:38
S11	0	(disabl\$3 or stop\$4 or shut\$down or terminat\$3) with (power or electricity) same (expiration or expir\$3) near2 date and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:39
S12	6	(disabl\$3 or stop\$4 or shut\$down or terminat\$3) with (power or electricity) same (expiration or expir\$3) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:40
S13	272	(disabl\$3 or stop\$4 or shut\$down or terminat\$3) with (power or electricity) same ink and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:40
S14	0	(disabl\$3 or stop\$4 or shut\$down or terminat\$3) with (power or electricity) same ink with incorrect and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:41
S15	1	(disabl\$3 or stop\$4 or shut\$down or terminat\$3) with (power or electricity) same (ink with properties) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:42
S16	4	"6938976"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:52
S17	15	(RF or radio\$frequency or radio\$frequencies or RFID) with signal same wireless and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:55

S18	1	(RF or radio\$frequency or radio\$frequencies or RFID) with signal same wireless same (tag or RFID) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:54
S19	11	(RF or radio\$frequency or radio\$frequencies or RFID) with signal same wireless same (tag or device) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:57
S20	. 86	(RF or radio\$frequency or radio\$frequencies or RFID) same wireless\$2 same (tag or device) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:58
S21	20	(RF or radio\$frequency or radio\$frequencies or RFID) same wireless\$2 same (tag o) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:58
S22	17	(RF or radio\$frequency or radio\$frequencies or RFID) same wireless\$2 same (tag) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:59
S23	23	(RF or radio\$frequency or radio\$frequencies or RFID) same wireless\$2 same (tag\$1) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:05
S24	43	(RF or radio\$frequency or radio\$frequencies or RFID) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:22
S25	900	memory with identif\$4 with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:22

S26	16	memory with identif\$4 with color and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:25
S27	2	memory with data with identif\$4 with color and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:27
S28	33	memory with data with color and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:32
S29	0	S1 and disabler adj circuit\$1 same (expiration or expires) near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:32
S30	0	"347"/\$3 and disabler adj circuit\$1 same (expiration or expires) near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:43
S31	0	"347"/\$3 and disable3 adj circuit\$1 same (expiration or expires) near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:43
S32	0	"347"/\$3 and disabl\$3 adj circuit\$1 same (expiration or expires) near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:44
S33		"347"/\$3 and disabl\$3 near2 circuit\$1 same (expiration or expires) near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:44

ŗi-				,		
S34	12	"347"/\$3 and (disabl\$3 or terminat\$3) same (expiration or expires) near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:47
S35	16	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4) same (expiration or expires) near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:49
S36	79	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4) same (expiration or expires)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:49
S37	16	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4) same (expiration or expires) with date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:28
S38	66	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4) same (expiration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:15
S39	16	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4) same (expiration near3 date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:17
S40	136	"347"/\$3 and (expiration near3 date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:20
541	48	(347/85 or 347/86) and expiration near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:27

C42		C2 and ovalination	HC DCDUD	00	055	2006/02/12 15:20
S42	0	S2 and expiration .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:28
S43 	10	S2 and date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:28
S44	16	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4) same (expiration or expires or expire) with date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:29
S45	16	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4 or prohibit\$3) same (expiration or expires or expire) with date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:29
S46	16	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4 or prohibit\$3 or off or shut\$4) same (expiration or expires or expire) with date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:30
S47	27	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4 or prohibit\$3 or off or shut\$4) same (expiration or expires or expire or manufactur\$3) with date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:32
S48	5	"6019461".pn. or "6808255".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/17 14:11
S49	2	"20030043243"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/17 13:52

S50	2332	347/85	US-PGPUB;	AND	OFF	2006/02/17 14:13
	232		USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			2000,02,17 113
S51	0	10/706870	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:21
S52	0	"347"/\$3 and (RFID with (rewrit\$3 and (fixed or (non\$rewrit\$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:28
S53	18	"347"/\$3 and ((RFID or tag or memory) with (rewrit\$3 and (fixed or (non\$rewrit\$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:31
S54	54	"347"/\$3 and ((RFID or tag or memory) with ((rewrit\$3 or alterable) and (fixed or (non\$rewrit\$3) (non\$alter\$4))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:43
S55	14	(data with ((rewrit\$3 or alter\$3) and (non\$rewrit\$3 or non\$alter\$3)) and date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:46
S56	865	(data with ((rewrit\$4 or alter\$4 or non\$fix\$4) same (fix\$4 or non\$rewrit\$4 or non\$alter\$4)) and date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:47
S57	105	(data with ((rewrit\$4 or alter\$4 or non\$fix\$4) same (fix\$4 or non\$rewrit\$4 or non\$alter\$4)) same date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:53

				,		
S58	3425	(data with ((rewrit\$4 or alter\$4 or non\$fix\$4) same (fix\$4 or non\$rewrit\$4 or non\$alter\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:53
S59	65	(data with ((rewrit\$4 or alter\$4 or non\$fix\$4) same (fix\$4 or non\$rewrit\$4 or non\$alter\$4))) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:42
S60	0	(tag same data with ((rewrit\$4 or alter\$4 or non\$fix\$4) same (fix\$4 or non\$rewrit\$4 or non\$alter\$4))) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:36
S61	1104	RFID same (Fixed or rewritable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:43
S62	102	RFID same (rewritable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:43
S63	0	RFID same (rewritable) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:43
S64	489	(rewritable) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:43
S65	158	(rewritable with data) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:43

S66	6	(rewritable with data with (tag or identification)) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:43
S67	2077	rewritable near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:51
S68	32	rewritable near data and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:55
S69	158	rewritable with data and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:55
S70	0	(US "6361138").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF .	2006/06/28 09:18
S71	2	("6361138").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:23
S72	1	(container or cartridge or chamber) same rewritable with (data) same (manufactur\$3 and expiration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:24
S73	1	(container or cartridge or chamber) same rewritable with (data) same (manufactur\$3 and expiration) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:39

S74	0	10/8706870	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	AND	OFF	2006/06/28 09:29
S75	0	10/706870	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND .	OFF	2006/06/28 09:29
S76	2	"20040183871"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:29
S77	1	rewritable with (data) same (manufactur\$3 and expiration) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:39
S78	1	rewritable with (manufactur\$3 and expiration) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:39
S79 	3	rewritable same (manufactur\$3 and expiration) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:40
S80	2	"6533383".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/03/01 09:22
S81	0	10/706870	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/03/01 09:21

						·
S82	1	"6533383".pn. and (memory with color)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/03/01 09:26
S83	1	"6533383".pn. and (writ\$3 with CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/03/01 09:26
S84	0	10/706870	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/09/06 11:58
S85	47	("4384288" "4926187" "5444223" "5574470" "5604485" "5838253" "5874902" "5914862" "5964656" "5986569" "5995006" "6043746" "6078259" "6097301" "6100840" "6104281" "6206282" "6218942" "6232870" "6265977" "6305548" "6346881" "6644771" "6938976"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 12:11
S86	11	S85 and ((read\$4writ\$3) or (read\$3 near writ\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 12:14
S87	40	"347"/\$3 and ((read\$4writ\$3) or (read\$3 near writ\$3)) same (date with (made or manufactur\$3 or product\$3 or produc\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 12:35
588	12	"347"/\$3 and ((read\$4writ\$3) or (read\$3 near writ\$3)) same (date with (made or manufactur\$3 or product\$3 or product\$3 or product\$3 or RW or eras\$4) with (information or data or date))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 14:20
589	2	"6361138".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 14:10

S90	3	"6808255".pn.	US-PGPUB;	OR	OFF	2007/09/10 14:10
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
591	4	"347"/\$3 and ((read\$4writ\$3) or (read\$3 near writ\$3)) same (date with (made or manufactur\$3 or product\$3 or product\$3 or RW or eras\$4) with (manufactur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 14:25
S92	41	"347"/\$3 and ((read\$4writ\$3) or (read\$3 near writ\$3) or (read\$3 with writ\$3)) same (date with (made or manufactur\$3 or product\$3 or product\$3)) and ((re\$1writ\$5 or RW or eras\$4) with (manufactur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 14:27
S93	40	"347"/\$3 and ((read\$4writ\$3) or (read\$3 near5 writ\$3)) same (date with (made or manufactur\$3 or product\$3 or product\$3 or product\$3 or RW or eras\$4) with (manufactur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 14:27
S94	4	("6533383" or "6385407").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/11/26 14:49 ·
S96	1	10/943163	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/11/26 13:49
S97	7216	"347"/\$3 and (container or cartridge or chamber or pen or device) with (control\$4) with (install\$4 or installation or position\$3 or locat\$3 or plac\$3 or set\$1 or sit\$1 or sitting or setting or situat\$3 or fix\$3 or emplace\$3 or place\$3 or (put\$4 near in) or (put\$4 near into) or load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 14:23

		•				
S98	4	"347"/\$3 and (container or cartridge or chamber or pen or device) with (control\$4) with (install\$4 or installation or position\$3 or locat\$3 or plac\$3 or set\$1 or sit\$1 or sitting or setting or situat\$3 or fix\$3 or emplace\$3 or place\$3 or (put\$4 near in) or (put\$4 near into) or load\$3) with (user or client or person or individual) with ((read\$3 near writ\$3) or (read\$5writ\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 14:23
S99	0	"347"/\$3 and (container or cartridge or chamber or pen or device) with (control\$4) with (install\$4 or installation or position\$3 or locat\$3 or plac\$3 or set\$1 or sit\$1 or sitting or setting or situat\$3 or fix\$3 or emplace\$3 or place\$3 or (put\$4 near in) or (put\$4 near into) or load\$3) with (user or client or person or individual) with ((read\$3 near writ\$3) or (read\$5writ\$3)) same (data near read\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 14:04
S10 0	0	"347"/\$3 and (container or cartridge or chamber or pen or device) with (control\$4) with (install\$4 or installation or position\$3 or locat\$3 or plac\$3 or set\$1 or sit\$1 or sitting or setting or situat\$3 or fix\$3 or emplace\$3 or place\$3 or (put\$4 near in) or (put\$4 near into) or load\$3) same (user or client or person or individual) with ((read\$3 near writ\$3) or (read\$5writ\$3)) same (data near read\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 14:04
S10 1	0	10/706870	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 14:19
S10 2	2	"20050024393"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 14:19

S10	21	"347"/\$3 and (container or	US-PGPUB;	AND	ON	2007/11/26 14:31
3		cartridge or chamber or pen or device) with (control\$4) with (install\$4 or installation or position\$3 or locat\$3 or plac\$3 or set\$1 or sit\$1 or sitting or setting or situat\$3 or fix\$3 or emplace\$3 or place\$3 or (put\$4 near in) or (put\$4 near into) or load\$3) same (RFID or tag or (read\$4writ\$2) or transmit\$4 or writ\$3 or receiv\$3 or memory) with (date)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S10 4	1	"347"/\$3 and (read with writ\$3 with manufactur\$3 near date with install\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 14:32
S10 5	1	"347"/\$3 and (read\$3 with writ\$3 with manufactur\$3 near date with install\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 14:33
S10 6	46	"347"/\$3 and (read\$3 with writ\$3 with manufactur\$3 near date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 14:36
S10 7	48	"347"/\$3 and (writ\$3 with manufactur\$3 near date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 15:06
S10 8	2	"347"/\$3 and (writ\$3 with manufactur\$3 near date) same (install\$4 or installation or position\$3 or locat\$3 or plac\$3 or set\$1 or sit\$1 or sitting or setting or situat\$3 or fix\$3 or emplace\$3 or place\$3 or (put\$4 near in) or (put\$4 near into) or load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 14:39
S10 9	0	(read\$4writ\$3) with manufactur\$3 near date and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/11/26 14:56

	i ————	and the second s	, — — — — — — — — — — — — — — — — — — —	T		<u> </u>
S11 2 	2	"5812156".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/11/26 14:56
S11 3	250	"347"/\$3 and ((writ\$3 or stor\$3 or memory or ram or rom or eprom or prom or eeprom) with manufactur\$3 near date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 15:37
S11 4	21	"347"/\$3 and ((writ\$3 or stor\$3 or memory or ram or rom or eprom or prom or eeprom) with manufactur\$3 near date) same user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 15:09
S11 5	29	"347"/\$3 and ((writ\$3 or stor\$3 or memory or ram or rom or eprom or prom or eeprom) with manufactur\$3 near date) same (user or client or person or individual)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/28 11:35
S11 6	34	"347"/\$3 and ((writ\$3 or stor\$3 or memory or ram or rom or eprom or prom or eeprom) with manufactur\$3 near date) same (user or client or person or individual or operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 15:38
S11 7	9	"347"/\$3 and (user or client or person or individual or operator) with (reader\$2writer) with (transmit\$4 or writ\$3) with (data or date or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 15:43
S11 8	4	("20020015066" or "6019461").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	: : :	ON	2007/11/27 10:00
S11 9	1	2001-330309.NRAN.	DERWENT	AND	OFF	2007/11/27 09:58
S12 0	1	"6533383".pn.	DERWENT	AND	OFF	2007/11/27 08:36

S12 1	2	"6533383".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/11/27 08:36
S12 2	0	("20020015066" or "6019461").pn. and (disabl\$4 with control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/27 09:40
S12 3	0	("20020015066" or "6019461").pn. and (disabl\$4 same control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND .	ON	2007/11/27 09:41
S12 4	4	("20020015066" or "6019461").pn. and (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/27 10:11
S12 7	3	("20020015066" or "6019461").pn. and (RF or radio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/27 10:15
S12 8		"6361138".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON .	2007/11/27 10:15
S12 9	2	("20020015066" or "6019461").pn. and (logic) same (transceiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/27 10:19
S13 0	2	("20020015066" or "6019461").pn. and (logic) same (transponder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/27 10:27

S13	2	("20020015066" or "6019461").pn. and (memory with transponder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON .	2007/11/27 10:30
S13 2	2	"6019461".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/27 10:30